



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: <http://dhollift.nt-rt.ru> || dnh@nt-rt.ru

DH-VB.15.E1

Колонный подъемник

Технические характеристики



→ Column lift for trucks, trailers & semi-trailers

DH-VB.15.E1 • 1000 - 1500 kg



Single deck column lift with upper beam

The single-deck lift DH-VB.15.E1 is a robust lift designed to work in **“hostile environment”** conditions (e.g. with regular dock loading), and to suit the most demanding applications in the transport business, such as **supermarket & food distribution**.

Many options are available to adapt the lift to meet specific customer requirements and applications, for instance:

- Hinged ramps at the side & rear edges of the platform
- Manual or hydraulic closure
- Various types of safety rails
- Special adaptations for the locking gear of barn doors
- Shunt stops to vertically descend the platform in a suitable position, that allows to reverse the vehicle into the loading dock without damaging the lift columns and platform.

Technical specifications (old name = DH-VB4)

Lift system	• Overhead beam: operated by a single lift cylinder mounted in a beam at the vehicle roof level and a set of steel ropes & pulleys • Reinforced lift columns 100x100 mm
Open / Close	• Manual closure supported by torsion bars • Hydraulic closure as an option (OVH004)
Type of ride [see pg. 8-9]	Flat platform, level ride
Standard platform	• Flat platform with fixed leading edge • Roll-stops & hinged ramps available as an option
Platform material	• Reinforced steel platform, or • Light-weight aluminium platform
Standard platform depths	1200 mm Other platform sizes on request
Standard control unit [see pg. 11]	OAE030.BT
Standard finish of the lift frame	2K zinc primer + polyester powder coat



Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

Единый адрес для всех регионов: <http://dhollift.nt-rt.ru> || dnh@nt-rt.ru