



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: <http://dhollift.nt-rt.ru> || dnh@nt-rt.ru

DH-VZG.01

Подъемник для
цельнометаллических фургонов

Технические характеристики



→ Lift for vans, trucks, trailers and semi-trailers

DH-VZG.01 • 150 kg



The DH-VZG is a safe and easy-to-use compact interior lift, designed to handle **small loads** (parcels, boxes, barrels, small machinery,...).

Option S970 is specially adapted for **gas bottles**. It includes a smaller platform and a bottle holder to secure the bottles in vertical position.

The DH-VZG is available with a fixed frame or an articulated frame (see right page).


Lift capacity

CAP
150 kg

Weights [see pg. 15]

Steel platform	
Std.	70 kg

Compact, simple lift for the smallest loads



Fitting dimensions

Stroke S	750
K max.	725
X	1250

Technical specifications

Lift frame	Single column with telescopic lift mechanism
Type 1: fixed frame	The platform travels straight up / down from its mounting position in the vehicle (only suitable for chassis with body, not for factory built panel vans)
Type 2: articulated frame	The platform can pivot from a travel position inside the vehicle to a work position outside the vehicle, then go up / down (can be fitted at the rear or side doors, suitable for factory built panel vans)
Cylinders	1 lift cylinder
Type of ride [see pg. 8-9]	Flat platform, level ride
Standard platform dimensions	• 600x480 mm • Option S970 GAS lift: 315x340 mm
Platform specifications	Flat platform for easy access, steel
Fitting	Single column, to be mounted to the vehicle floor and to the side of the vehicle body
Standard control unit [see pg. 10]	OAE001
Standard finish of the lift frame	Protection PLUS [OAT102]



Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54
Астана +7(7172)727-132	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31
Белгород (4722)40-23-64	Кемерово (3842)65-04-62	Новосибирск (383)227-86-73	Ставрополь (8652)20-65-13
Брянск (4832)59-03-52	Киров (8332)68-02-04	Орел (4862)44-53-42	Тверь (4822)63-31-35
Владивосток (423)249-28-31	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Томск (3822)98-41-53
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Тула (4872)74-02-29
Вологда (8172)26-41-59	Курск (4712)77-13-04	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Воронеж (473)204-51-73	Липецк (4742)52-20-81	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Екатеринбург (343)384-55-89	Магнитогорск (3519)55-03-13	Рязань (4912)46-61-64	Уфа (347)229-48-12
Иваново (4932)77-34-06	Москва (495)268-04-70	Самара (846)206-03-16	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Мурманск (8152)59-64-93	Санкт-Петербург (812)309-46-40	Череповец (8202)49-02-64
Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Саратов (845)249-38-78	Ярославль (4852)69-52-93

Единый адрес для всех регионов: <http://dhollift.nt-rt.ru> || dnh@nt-rt.ru